



**BRINNER**

Tarifa parcial

**Difusión**

**TARIFA 2018 / 2019**






## ■ Rejilla para conducto circular



Dimensión	Diámetro del tubo		Simple deflexión SGR0	Doble deflexión SGR1	Regulación SGRDA
	mínimo	máximo			
425 x 75	150	400	9,53	11,50	10,95
525 x 75	150	400	12,25	13,73	12,85
625 x 75	150	400	17,20	16,33	15,78
425 x 125	315	900	11,73	12,70	12,63
525 x 125	315	900	15,00	16,28	15,00
625 x 125	315	900	18,95	18,73	19,20
425 x 225	600	1400	14,68	15,60	16,15
525 x 225	600	1400	19,28	19,00	21,75
625 x 225	600	1400	21,53	22,35	22,08

## ■ Multitoberas orientables



Modelo	Diámetro del tubo	L= 500 (5 toberas)	L= 1000 (10 toberas)
TG-100-MT TC15	150 a 250	34,91	61,87
TG-100-MT TC30	300 a 600	34,91	61,87


NOTAS — Tobera color gris

## ■ Difusor para equipos evaporativos

 <p>Difusor para 2 rejillas 550 x 550 DHC2. Boca circular <math>\varnothing</math>600 DHR2. Boca rectangular 550 x 550</p>		 <p>Difusor para 4 rejillas 550 x 550 DHC4. Boca circular <math>\varnothing</math>600 DHR4. Boca rectangular 550 x 550</p>		 <p>Difusor para 6 rejillas 500 x 300 DHC6. Boca circular <math>\varnothing</math>600 DHR6. Boca rectangular 550 x 550</p>	
Galvanizado	Inoxidable 304	Galvanizado	Inoxidable 304	Galvanizado	Inoxidable 304
64,82	177,22	68,65	192,07	84,28	220,92

NOTAS — Rejillas no incluidas. Consultar precio.


## Modelo IHV+O



REJILLA DE DOBLE DEFLEXIÓN CON REGULACIÓN DE CAUDAL										
H \ L	200	250	300	350	400	450	500	600	800	1.000
100	15,81	17,98	20,59	23,13	25,48	27,99	30,00	34,23	47,04	55,57
150	18,03	20,64	23,51	26,23	28,88	31,45	34,09	39,42	55,17	65,97
200	20,31	23,33	26,31	29,28	32,11	34,94	38,15	44,61	62,81	76,57
250		26,23	29,07	32,36	35,35	38,74	41,58	49,42	70,78	86,29
300			31,92	37,51	40,57	43,50	46,11	54,61	78,54	97,41
400					47,86	52,09	57,37	69,01	93,54	116,56

Acabado: anodizado color natural o lacado en blanco (mismo precio).

## Modelo RH



REJILLA DE LAMA HORIZONTAL FIJA INCLINADA A 45°										
H \ L	200	250	300	350	400	450	500	600	800	1.000
100	7,90	8,53	9,21	9,94	10,75	11,62	12,54	14,55	18,89	23,69
150	9,71	10,15	10,97	11,83	13,10	13,81	14,89	17,28	22,44	28,17
200	11,14	12,02	12,99	14,03	15,15	16,35	17,66	20,48	26,63	33,40
250		13,58	14,69	15,86	17,11	18,48	19,96	23,16	30,08	37,77
300			16,61	17,90	19,34	20,90	22,60	26,93	34,03	42,69
400					24,76	26,72	28,84	35,95	43,47	54,54

Acabado: anodizado color natural o lacado en blanco (mismo precio).

## Larguero suelto

LARGUERO SUELTO PARA MARCO DE MONTAJE LM											
100	150	200	250	300	350	400	450	500	600	800	1.000
0,37	0,44	0,71	0,80	0,89	0,95	1,05	1,12	1,21	1,36	1,67	1,99

Ø	BOCA DE EXTRACCIÓN		Difusor circular DCDS	Cuello de conexión difusor DSP	Tobera JN-S
	BEP (PVC)	BEC (Chapa)			
100	2,34	2,23			
125	2,71	3,08			
150	3,76	4,27	9,54	8,07	
160		4,66			67,16
200	5,69	6,04	11,79	9,17	76,69
250		10,28	16,80	10,57	95,92
300			20,39	12,32	
315					119,90
350			26,72	22,42	